




**Mart
Makers**

Plastic Pallet

Products & Specifications



Mart Makers Products
► **PLASTIC PALLET**





Mart Makers Products

► PLASTIC PALLET

Improvements in the supply chain in modern logistics!



IRANPLAST Plastic Pallets are manufactured from virgin HDPE/PP injection grade and UV stabilizer additive. Long service life and heavy load-bearing capabilities in two industrial and hygienic pallets from light to heavy-duty Plastic Pallets types.


Hygienic Pallets:

HP Series Pallets are ideally suited for heavy-duty loads for those who need hygienic handling and packaging. The closed solid decks and sealed joints do not allow bacteria and fungi growth and enable the pallet to be resistant to damage, washable, easy to clean and durable.

Industrial Pallets:

Industrial Plastic Pallets: light, medium and heavy-duty, designed to use in any industries. They are easy to handle and simplify the process of loading and unloading and efficient storage and ensure safe delivery and piling of the product with the aim of stabilization.





► HP1208/9L


Hygienic Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 800 x 130 mm
Static Load	5000 Kg
Dynamic Load	1250 Kg
Racking Load	x
Pallet Weight	14 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	704 / 734 Pcs

More details:




Properties:

- Single surface
- Closed solid decks
- 7 mm safety rims
- 9 Legs
- 4-way entry
- Forklift / Hand-jack compatible
- Welded
- Stackable


Customization:

- Any standard RAL color
- Anti-slip strips option (2-4 Pcs)
- Printing logo
- Safety rims



► HP1208/3R

Hygienic Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 800 x 160 mm
Static Load	5000 Kg
Dynamic Load	1250 Kg
Racking Load	1000 Kg
Pallet Weight	18 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	550 / 644 Pcs

More details:




Properties:

- Single surface
- Closed solid top deck
- 7 mm safety rims
- 3 Skid runners
- 4-way entry
- Forklift / Hand-jack compatible
- Welded
- Stackable

Customization:

- Any standard RAL color
- Reinforcement profiles (3-5 Pcs)
- Anti-slip strips option (2-4 Pcs)
- Embossing logo
- Printing logo
- Safety rims



► HP1208/3R/3P

Hygienic Plastic Pallet (Reinforced)



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 800 x 160 mm
Static Load	7500 Kg
Dynamic Load	1500 Kg
Racking Load	1500 Kg
Pallet Weight	22 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	550 / 644 Pcs

More details:




Properties:

- Single surface
- Closed solid top deck
- 3 reinforcement profiles
- 7 mm safety rims
- 3 Skid runners
- 4-way entry
- Forklift / Hand-jack compatible
- Welded
- Stackable


Customization:

- Any standard RAL color
- Anti-slip strips option (2-4 Pcs)
- Embossing logo
- Printing logo
- Safety rims



► HP1208/3R/5P


Hygienic Plastic Pallet (Reinforced)



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 800 x 160 mm
Static Load	7500 Kg
Dynamic Load	1750 Kg
Racking Load	1750 Kg
Pallet Weight	23.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	550 / 644 Pcs

More details:




Properties:

- Single surface
- Closed solid top deck
- 5 reinforcement profiles
- 7 mm safety rims
- 3 Skid runners
- 4-way entry
- Forklift / Hand-jack compatible
- Welded
- Stackable


Customization:

- Any standard RAL color
- Anti-slip strips option (2-4 Pcs)
- Embossing logo
- Printing logo
- Safety rims



► HPS1208

Semi-Hygienic Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 800 x 155 mm
Static Load	5000 Kg
Dynamic Load	1250 Kg
Racking Load	500 Kg
Pallet Weight	14 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	550 / 682 Pcs

More details:




Properties:

- Single surface
- Closed solid top deck
- 7 mm Safety rims
- 3 Skid runners
- 4-way entry
- Forklift / Hand-jack compatible
- One shot
- Stackable

Customization:

- Any standard RAL color
- Anti-slip strips option (2-4 Pcs)
- Embossing logo
- Printing logo
- Safety rims



► HPS1210


Semi-Hygienic Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 1000 x 140 mm
Static Load	5000 Kg
Dynamic Load	1250 Kg
Racking Load	x
Pallet Weight	13.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	550 / 650 Pcs

More details:




Properties:

- Single surface
- Semi-closed top deck
- 40 mm guter
- 9 legs
- 4-way entry
- Forklift / Hand-jack compatible
- Stackable
- One shot


Customization:

- Any standard RAL color
- Printing logo
- Sleeve compatible



► HP1210/9L


Hygienic Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 1000 x 130 mm
Static Load	5000 Kg
Dynamic Load	1250 Kg
Racking Load	x
Pallet Weight	15.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	530 / 638 Pcs

More details:




Properties:

- Single surface
- Closed solid decks
- 7 mm safety rims
- 9 Legs
- 4-way entry
- Forklift / Hand-jack compatible
- Stackable
- Welded

Customization:

- Any standard RAL color
- Printing logo
- Safety rims



► HP1210/3R

Hygienic Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 1000 x 160 mm
Static Load	7500 Kg
Dynamic Load	1500 Kg
Racking Load	1250 Kg
Pallet Weight	22 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	451 / 520 Pcs

More details:




Properties:

- Single surface
- Closed solid top deck
- 7 mm safety rims
- 3 Skid runners
- 4-way entry
- Forklift / Hand-jack compatible
- Welded
- Stackable


Customization:

- Any standard RAL color
- Reinforcement profiles (3-5 Pcs)
- Anti-slip strips option (2-4 Pcs)
- Embossing logo
- Printing logo
- Safety rims



► HP1210/3R/3P

Hygienic Plastic Pallet (Reinforced)



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 1000 x 160 mm
Static Load	7500 Kg
Dynamic Load	1750 Kg
Racking Load	1750 Kg
Pallet Weight	26 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	451 / 520 Pcs

More details:




Properties:

- Single surface
- Closed solid top deck
- 3 reinforcement profiles
- 7 mm safety rims
- 3 Skid runners
- 4-way entry
- Forklift / Hand-jack compatible
- Welded
- Stackable


Customization:

- Any standard RAL color
- Anti-slip strips option (2-4 Pcs)
- Embossing logo
- Printing logo
- Safety rims



► HP1210/3R/5P


Hygienic Plastic Pallet (Reinforced)



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 1000 x 160 mm
Static Load	7500 Kg
Dynamic Load	2000 Kg
Racking Load	2000 Kg
Pallet Weight	27.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	451 / 520 Pcs

More details:




Properties:

- Single surface
- Closed solid top deck
- 5 reinforcement profiles
- 7 mm safety rims
- 3 Skid runners
- 4-way entry
- Forklift / Hand-jack compatible
- Welded
- Stackable


Customization:

- Any standard RAL color
- Anti-slip strips option (2-4 Pcs)
- Embossing logo
- Printing logo
- Safety rims



► HP1210/5R


Hygienic Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 1000 x 160 mm
Static Load	7500 Kg
Dynamic Load	1500 Kg
Racking Load	1250 Kg
Pallet Weight	23.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	364 / 428 Pcs

More details:




Properties:

- Single surface
- Closed solid top deck
- 7 mm safety rims
- 5 Skid runners
- 4-way entry
- Forklift / Hand-jack compatible
- Welded
- Stackable


Customization:

- Any standard RAL color
- Reinforcement profiles (3-5 Pcs)
- Anti-slip strips option (2-4 Pcs)
- Embossing logo
- Printing logo
- Safety rims



► HP1210/5R/3P

Hygienic Plastic Pallet (Reinforced)



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 1000 x 160 mm
Static Load	7500 Kg
Dynamic Load	1750 Kg
Racking Load	1750 Kg
Pallet Weight	27.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	364 / 428 Pcs

More details:




Properties:

- Single surface
- Closed solid top deck
- 3 reinforcement profiles
- 7 mm safety rims
- 5 Skid runners
- 4-way entry
- Forklift / Hand-jack compatible
- Welded
- Stackable


Customization:

- Any standard RAL color
- Anti-slip strips option (2-4 Pcs)
- Embossing logo
- Printing logo
- Safety rims



► HP1210/5R/5P


Hygienic Plastic Pallet (Reinforced)



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 1000 x 160 mm
Static Load	7500 Kg
Dynamic Load	2000 Kg
Racking Load	2000 Kg
Pallet Weight	29 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	364 / 428 Pcs

More details:




Properties:

- Single surface
- Closed solid top deck
- 5 reinforcement profiles
- 7 mm safety rims
- 5 Skid runners
- 4-way entry
- Forklift / Hand-jack Compatible
- Welded
- Stackable

Customization:


- Any standard RAL color
- Anti-slip strips option (2-4 Pcs)
- Embossing logo
- Printing logo
- Safety rims





► IP1208


Industrial Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 800 x 170 mm
Static Load	5000 Kg
Dynamic Load	1000 Kg
Racking Load	500 Kg
Pallet Weight	13.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	545 / 580 Pcs

More details:




Properties:

- Single surface
- Ventilated decks
- Anti-slip rubber plugs
- 3 Skid runners
- 4-way entry
- Forklift / Hand-jack compatible
- One shot
- Stackable


Customization:

- Any standard RAL color
- Embossing logo
- Printing logo



► IPL1208


Industrial Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 800 x 150 mm
Static Load	5000 Kg
Dynamic Load	1000 Kg
Racking Load	400 Kg
Pallet Weight	12 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	550 / 700 Pcs

More details:




Properties:

- Single surface
- Ventilated decks
- 7 mm safety rims
- Anti-slip rubber plugs
- 3 Skid runners
- 4-way entry
- Forklift / Hand-jack compatible
- One shot
- Stackable

Customization:

- Any standard RAL color
- Reinforcement profiles (4-6 Pcs)
- Embossing logo
- Printing logo
- Safety rims



► IPL1208/4P


Industrial Plastic Pallet (Reinforced)



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 800 x 150 mm
Static Load	5000 Kg
Dynamic Load	1250 Kg
Racking Load	1000 Kg
Pallet Weight	16.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	550 / 700 Pcs

More details:




Properties:

- Single surface
- Ventilated decks
- 4 reinforcement profiles
- 7 mm safety rims
- Anti-slip rubber plugs
- 3 Skid runners
- 4-way entry
- Forklift / Hand-jack compatible
- One shot
- Stackable

Customization:

- Any standard RAL color
- Embossing logo
- Printing logo
- Safety rims



► **IPL1208/6P**


Industrial Plastic Pallet (Reinforced)



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 800 x 150 mm
Static Load	5000 Kg
Dynamic Load	1500 Kg
Racking Load	1250 Kg
Pallet Weight	18.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	550 / 700 Pcs

More details:




Properties:

- Single surface
- Ventilated decks
- 6 reinforcement profiles
- 7 mm safety rims
- Anti-slip rubber plugs
- 3 Skid runners
- 4-way entry
- Forklift / Hand-jack compatible
- One shot
- Stackable


Customization:

- Any standard RAL color
- Embossing logo
- Printing logo
- Safety rims



► IPM1210

Industrial Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 1000 x 150 mm
Static Load	5000 Kg
Dynamic Load	1250 Kg
Racking Load	600 Kg
Pallet Weight	15.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	550 / 600 Pcs

More details:




Properties:

- Single surface
- Ventilated decks
- Anti-slip rubber plugs
- 3 Skid runners
- 4-way entry
- Forklift / Hand-jack compatible
- One shot
- Stackable


Customization:

- Any standard RAL color
- Embossing logo
- Printing logo



► IPL1210


Industrial Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 1000 x 150 mm
Static Load	4000 Kg
Dynamic Load	1250 Kg
Racking Load	400 Kg
Pallet Weight	14.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	394 / 450 Pcs

More details:




Properties:

- Single surface
- Ventilated full perimeter decks
- Anti-slip rubber plugs
- 4-way entry
- Forklift / Hand-jack compatible
- Stackable
- One shot


Customization:

- Any standard RAL color
- Printing logo
- Embossing logo
- Safety rims



► LNP1210/9L


Industrial Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 1000 x 140 mm
Static Load	1000 Kg
Dynamic Load	800 Kg
Racking Load	x
Pallet Weight	6.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	1100 / 1300 Pcs

More details:




Properties:

- Single surface
- Ventilated decks
- 9 Legs
- 4-way entry
- Forklift / Hand-jack compatible
- Nestable
- One shot


Customization:

- Any standard RAL color
- Printing logo
- Embossing logo



► LNP1210/3R


Industrial Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1200 x 1000 x 155 mm
Static Load	2000 Kg
Dynamic Load	1000 Kg
Racking Load	300 Kg
Pallet Weight	9 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	950 (CKD) / 1200 (CKD) Pcs

More details:




Properties:

- Single surface
- Ventilated decks
- 3 Skid runners (snap-on)
- 4-way entry
- Forklift / Hand-jack compatible
- Nestable (CKD)
- Stackable
- One shot


Customization:

- Any standard RAL color
- Printing logo
- Embossing logo



► IPH1311

Industrial Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1300 x 1100 x 150 mm
Static Load	6000 Kg
Dynamic Load	1800 Kg
Racking Load	1200 Kg
Pallet Weight	27.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	320 / 374 Pcs

More details:




Properties:

- Double surface
- Reversible pallet
- Ventilated decks
- Anti-slip rubber plugs
- 4-way entry
- Forklift / Hand-jack compatible
- Stackable
- Welded


Customization:

- Any standard RAL color
- Printing logo
- Embossing logo



► IPL1311


Industrial Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1300 x 1100 x 150 mm
Static Load	5000 Kg
Dynamic Load	1250 Kg
Racking Load	300 Kg
Pallet Weight	14.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	320 / 374 Pcs

More details:




Properties:

- Single surface
- Ventilated full perimeter decks
- Anti-slip rubber plugs
- 4-way entry
- Forklift / Hand-jack compatible
- Stackable
- One shot

Customization:

- Any standard RAL color
- Printing logo
- Embossing logo



► **IPM1311/V1**
Industrial Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1300 x 1100 x 150 mm
Static Load	5000 Kg
Dynamic Load	1375 Kg
Racking Load	600 Kg
Pallet Weight	18.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	320 / 374 Pcs


More details:

Properties:

- Single surface
- Ventilated full perimeter decks
- Anti-slip rubber plugs
- 4-way entry
- Forklift / Hand-jack compatible
- Stackable
- One shot

Customization:

- Any standard RAL color
- Printing logo
- Embossing logo



► **IPM1311/V2**
Industrial Plastic Pallet



Specifications:

Material	HDPE/PP Inj. Grade + UV Stabilizer
Dimension	1300 x 1100 x 150 mm
Static Load	5000 Kg
Dynamic Load	1375 Kg
Racking Load	600 Kg
Pallet Weight	18.5 Kg (±3%)
40' HC Cntr/88 m ³ TRK Capacity	320 / 374 Pcs

More details:




Properties:

- Single surface
- Ventilated full perimeter decks
- Anti-slip rubber plugs
- 4-way entry
- Forklift / Hand-jack compatible
- Stackable
- One shot

Customization:

- Any standard RAL color
- Printing logo
- Embossing logo





Contact Information

Add: No. 343, 3rd Fl., "Didube Plaza", Business Center,
116. AK. Tsereteli Ave., P.C. 0119, Tbilisi - GEORGIA.
Tel: +995 32 230 9621, +995 32 230 96 22
Website: www.martmakers.com
E-mail: info@martmakers.com, info@martmakers.ge

Working Time

Mon-Fri: 10:00-18:00 / closed on weekend

